

Infiltrator Systems Inc.
TW- and IM-Series Tank Product Line Volume-Height Values

Height ¹		Liquid Volume in Tank at Indicated Height													
		TW-300		TW-500		TW-900		TW-1050		IM-1060		TW-1250		TW-1500	
Inches	Millimeters	Gallons	Liters	Gallons	Liters	Gallons	Liters	Gallons	Liters	Gallons	Liters	Gallons	Liters	Gallons	Liters
0.000	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
0.125	3	0	0	0	1	1	5	1	5	0	1	2	7	2	8
0.250	6	0	0	0	2	2	9	3	11	1	3	3	13	4	16
0.375	10	0	1	1	2	4	14	4	16	1	4	5	20	6	24
0.500	13	0	1	1	3	5	19	6	22	2	6	7	26	9	32
0.625	16	0	1	1	4	6	23	7	27	2	7	9	33	11	40
0.750	19	0	1	1	5	7	28	9	33	2	9	10	40	13	48
0.875	22	0	2	1	5	9	33	10	38	3	10	12	46	15	56
1.000	25	1	2	2	6	10	37	11	43	3	11	14	53	17	64
1.125	29	1	3	2	8	11	43	13	50	4	16	16	60	20	74
1.250	32	1	4	2	9	13	49	15	56	6	21	18	68	22	83
1.375	35	1	5	3	10	14	54	17	63	7	26	20	76	25	93
1.500	38	1	6	3	12	16	60	18	69	8	30	22	84	27	102
1.625	41	2	6	3	13	17	65	20	76	9	35	24	92	30	112
1.750	44	2	7	4	14	19	71	22	82	11	40	26	99	32	121
1.875	48	2	8	4	16	20	76	23	88	12	44	28	107	35	131
2.000	51	2	9	5	17	22	82	25	95	13	49	30	115	37	140
2.125	54	3	11	5	19	24	91	28	106	15	56	34	128	41	156
2.250	57	3	12	5	21	26	100	31	116	17	63	37	141	45	172
2.375	60	4	13	6	22	29	110	34	127	19	71	41	154	50	188
2.500	64	4	15	6	24	31	119	36	138	21	78	44	167	54	204
2.625	67	4	16	7	26	34	128	39	149	22	85	47	180	58	220
2.750	70	5	18	7	28	36	137	42	159	24	92	51	193	62	235
2.875	73	5	19	8	29	39	147	45	170	26	99	54	206	66	251
3.000	76	5	20	8	31	41	156	48	181	28	106	58	218	71	267
3.125	79	6	22	9	33	44	166	51	192	30	115	61	232	75	284
3.250	83	6	24	9	36	46	176	54	204	33	123	65	246	80	301
3.375	86	7	26	10	38	49	186	57	216	35	132	69	260	84	318
3.500	89	7	28	11	40	52	196	60	227	37	140	72	274	89	335
3.625	92	8	30	11	43	54	206	63	239	39	149	76	288	93	352
3.750	95	8	32	12	45	57	216	66	250	42	157	80	302	98	370
3.875	98	9	34	12	47	60	226	69	262	44	166	84	316	102	387
4.000	102	9	36	13	50	62	236	72	273	46	174	87	330	107	404
4.125	105	10	38	14	53	65	246	75	285	48	183	91	344	111	421
4.250	108	11	41	15	56	68	256	78	297	51	192	95	359	116	439
4.375	111	12	44	16	59	70	266	82	309	53	201	98	373	120	456
4.500	114	12	46	16	62	73	277	85	321	56	210	102	387	125	473
4.625	117	13	49	17	65	76	287	88	332	58	219	106	401	130	491
4.750	121	14	51	18	68	78	297	91	344	60	228	110	415	134	508
4.875	124	14	54	19	71	81	307	94	356	63	237	113	430	139	526
5.000	127	15	56	20	75	84	317	97	368	65	246	117	444	143	543
5.125	130	16	59	21	78	87	327	100	380	68	256	121	458	148	560
5.250	133	17	62	22	82	89	338	103	392	70	266	125	472	153	578
5.375	137	17	66	23	86	92	348	107	404	73	276	129	487	157	596
5.500	140	18	69	24	90	95	358	110	415	76	286	132	501	162	613
5.625	143	19	72	25	94	97	369	113	427	78	296	136	515	167	631
5.750	146	20	75	26	98	100	379	116	439	81	306	140	530	171	648
5.875	149	21	78	27	101	103	389	119	451	83	316	144	544	176	666
6.000	152	21	81	28	105	106	400	122	463	86	326	148	558	180	683
6.125	156	22	84	29	110	108	410	126	475	89	335	151	573	185	701
6.250	159	23	87	30	114	111	420	129	487	91	345	155	587	190	719
6.375	162	24	91	31	119	114	431	132	499	94	355	159	602	195	736
6.500	165	25	94	33	123	117	441	135	511	97	365	163	616	199	754
6.625	168	26	97	34	128	119	452	138	523	99	375	167	631	204	772
6.750	171	27	101	35	133	122	462	141	535	102	385	170	645	209	789
6.875	175	27	104	36	137	125	473	145	548	104	395	174	660	213	807

Infiltrator Systems Inc.
TW- and IM-Series Tank Product Line Volume-Height Values

Height ¹		Liquid Volume in Tank at Indicated Height													
		TW-300		TW-500		TW-900		TW-1050		IM-1060		TW-1250		TW-1500	
Inches	Millimeters	Gallons	Liters	Gallons	Liters	Gallons	Liters	Gallons	Liters	Gallons	Liters	Gallons	Liters	Gallons	Liters
7.000	178	28	107	37	142	128	483	148	560	107	405	178	674	218	825
7.125	181	29	111	39	147	130	494	151	572	110	415	182	689	223	843
7.250	184	30	114	40	152	133	504	154	584	113	426	186	704	227	861
7.375	187	31	117	41	157	136	515	157	596	115	436	190	718	232	878
7.500	191	32	121	43	162	139	525	161	608	118	447	194	733	237	896
7.625	194	33	124	44	167	142	536	164	621	121	457	197	748	242	914
7.750	197	34	128	45	172	144	546	167	633	124	467	201	762	246	932
7.875	200	35	131	47	177	147	557	170	645	126	478	205	777	251	950
8.000	203	36	134	48	182	150	567	174	657	129	488	209	791	256	968
8.125	206	36	138	49	187	153	578	177	669	132	499	213	806	260	986
8.250	210	37	141	51	193	156	589	180	682	135	510	217	821	265	1,004
8.375	213	38	145	52	198	158	599	183	694	138	521	221	836	270	1,022
8.500	216	39	148	54	203	161	610	187	706	141	532	225	851	275	1,040
8.625	219	40	152	55	209	164	621	190	719	143	543	229	865	279	1,058
8.750	222	41	155	57	214	167	631	193	731	146	554	232	880	284	1,076
8.875	225	42	158	58	220	170	642	196	743	149	564	236	895	289	1,094
9.000	229	43	162	59	225	172	653	200	756	152	575	240	910	294	1,112
9.125	232	44	165	61	230	175	664	203	768	155	587	244	924	299	1,130
9.250	235	45	169	62	236	178	674	206	781	158	598	248	939	303	1,148
9.375	238	46	172	64	242	181	685	209	793	161	609	252	954	308	1,166
9.500	241	46	176	65	247	184	696	213	805	164	621	256	969	313	1,185
9.625	244	47	179	67	253	187	707	216	818	167	632	260	984	318	1,203
9.750	248	48	183	68	258	190	718	219	830	170	644	264	999	323	1,221
9.875	251	49	186	70	264	192	728	223	843	173	655	268	1,014	327	1,239
10.000	254	50	190	71	269	195	739	226	855	176	666	272	1,029	332	1,257
10.125	257	51	193	73	275	198	750	229	868	179	678	276	1,044	337	1,275
10.250	260	52	196	74	280	201	761	233	880	182	689	280	1,059	342	1,294
10.375	264	53	200	75	286	204	772	236	893	185	700	284	1,074	347	1,312
10.500	267	54	203	77	291	207	783	239	906	188	712	288	1,089	351	1,330
10.625	270	55	207	78	297	210	794	243	918	191	723	292	1,104	356	1,349
10.750	273	56	210	80	302	213	805	246	931	194	734	296	1,119	361	1,367
10.875	276	57	214	81	308	215	815	249	943	197	746	300	1,134	366	1,385
11.000	279	57	217	83	314	218	826	252	956	200	757	304	1,149	371	1,404
11.125	283	58	221	84	319	221	837	256	968	203	769	308	1,164	376	1,422
11.250	286	59	224	86	325	224	848	259	981	206	781	312	1,179	381	1,440
11.375	289	60	228	87	330	227	859	263	994	209	793	316	1,195	385	1,459
11.500	292	61	231	89	336	230	870	266	1,007	213	804	320	1,210	390	1,477
11.625	295	62	235	90	341	233	881	269	1,019	216	816	324	1,225	395	1,496
11.750	298	63	238	92	347	236	892	273	1,032	219	828	328	1,240	400	1,514
11.875	302	64	242	93	353	239	904	276	1,045	222	840	332	1,255	405	1,533
12.000	305	65	245	95	358	242	915	279	1,057	225	852	336	1,270	410	1,551
12.125	308	66	249	96	364	245	926	283	1,070	228	864	340	1,286	415	1,570
12.250	311	67	252	98	369	247	937	286	1,083	232	876	344	1,301	420	1,588
12.375	314	68	256	99	375	250	948	289	1,096	235	889	348	1,316	424	1,607
12.500	318	68	259	101	381	253	959	293	1,108	238	901	352	1,332	429	1,625
12.625	321	69	263	102	386	256	970	296	1,121	241	913	356	1,347	434	1,644
12.750	324	70	266	104	392	259	981	300	1,134	245	926	360	1,362	439	1,663
12.875	327	71	270	105	397	262	992	303	1,147	248	938	364	1,377	444	1,681
13.000	330	72	273	106	403	265	1,004	306	1,160	251	950	368	1,393	449	1,700
13.125	333	73	277	108	409	268	1,015	310	1,173	254	962	372	1,408	454	1,718
13.250	337	74	280	109	414	271	1,026	313	1,185	258	975	376	1,423	459	1,737
13.375	340	75	284	111	420	274	1,037	317	1,198	261	987	380	1,439	464	1,756
13.500	343	76	287	112	426	277	1,048	320	1,211	264	999	384	1,454	469	1,775
13.625	346	77	291	114	431	280	1,060	323	1,224	267	1,012	388	1,470	474	1,793
13.750	349	78	295	115	437	283	1,071	327	1,237	271	1,024	392	1,485	479	1,812
13.875	352	79	298	117	442	286	1,082	330	1,250	274	1,036	396	1,500	484	1,831

Infiltrator Systems Inc.
TW- and IM-Series Tank Product Line Volume-Height Values

Height ¹		Liquid Volume in Tank at Indicated Height													
		TW-300		TW-500		TW-900		TW-1050		IM-1060		TW-1250		TW-1500	
Inches	Millimeters	Gallons	Liters	Gallons	Liters	Gallons	Liters	Gallons	Liters	Gallons	Liters	Gallons	Liters	Gallons	Liters
14.000	356	80	302	118	448	289	1,093	334	1,263	277	1,049	400	1,516	489	1,849
14.125	359	81	305	120	454	292	1,105	337	1,276	280	1,061	405	1,531	494	1,868
14.250	362	82	309	121	459	295	1,116	340	1,289	284	1,073	409	1,547	499	1,887
14.375	365	82	312	123	465	298	1,127	344	1,302	287	1,085	413	1,562	504	1,906
14.500	368	83	316	124	471	301	1,139	347	1,315	290	1,098	417	1,578	508	1,925
14.625	371	84	319	126	476	304	1,150	351	1,328	293	1,110	421	1,594	513	1,944
14.750	375	85	323	127	482	307	1,161	354	1,341	297	1,122	425	1,609	518	1,963
14.875	378	86	326	129	488	310	1,173	358	1,354	300	1,135	429	1,625	523	1,981
15.000	381	87	330	130	493	313	1,184	361	1,367	303	1,147	433	1,640	528	2,000
15.125	384	88	334	132	499	316	1,196	365	1,380	306	1,160	437	1,656	533	2,019
15.250	387	89	337	133	505	319	1,207	368	1,393	310	1,173	442	1,671	538	2,038
15.375	391	90	341	135	510	322	1,218	372	1,407	313	1,185	446	1,687	543	2,057
15.500	394	91	344	136	516	325	1,230	375	1,420	317	1,198	450	1,703	548	2,076
15.625	397	92	348	138	522	328	1,241	379	1,433	320	1,211	454	1,718	553	2,095
15.750	400	93	351	139	527	331	1,253	382	1,446	323	1,224	458	1,734	559	2,114
15.875	403	94	355	141	533	334	1,264	385	1,459	327	1,236	462	1,750	564	2,133
16.000	406	95	359	142	539	337	1,276	389	1,472	330	1,249	466	1,765	569	2,152
16.125	410	96	362	144	544	340	1,287	392	1,486	333	1,262	471	1,781	574	2,171
16.250	413	97	366	145	550	343	1,299	396	1,499	337	1,275	475	1,797	579	2,190
16.375	416	98	369	147	556	346	1,310	399	1,512	340	1,288	479	1,813	584	2,210
16.500	419	99	373	148	562	349	1,322	403	1,525	344	1,300	483	1,829	589	2,229
16.625	422	99	376	150	567	352	1,334	406	1,539	347	1,313	487	1,844	594	2,248
16.750	425	100	380	151	573	355	1,345	410	1,552	350	1,326	491	1,860	599	2,267
16.875	429	101	384	153	579	358	1,357	413	1,565	354	1,339	496	1,876	604	2,286
17.000	432	102	387	154	584	361	1,368	417	1,578	357	1,351	500	1,892	609	2,305
17.125	435	103	391	156	590	365	1,380	420	1,592	360	1,364	504	1,908	614	2,324
17.250	438	104	394	157	596	368	1,391	424	1,605	364	1,377	508	1,923	619	2,344
17.375	441	105	398	159	601	371	1,403	428	1,618	367	1,390	512	1,939	624	2,363
17.500	445	106	402	160	607	374	1,415	431	1,632	371	1,402	516	1,955	629	2,382
17.625	448	107	405	162	613	377	1,426	435	1,645	374	1,415	521	1,971	634	2,401
17.750	451	108	409	163	619	380	1,438	438	1,658	377	1,428	525	1,987	639	2,420
17.875	454	109	412	165	624	383	1,450	442	1,672	381	1,441	529	2,003	645	2,440
18.000	457	110	416	166	630	386	1,461	445	1,685	384	1,454	533	2,019	650	2,459
18.125	460	111	420	168	636	389	1,473	449	1,698	387	1,466	537	2,035	655	2,478
18.250	464	112	424	169	642	392	1,485	452	1,712	391	1,479	542	2,051	660	2,498
18.375	467	113	427	171	647	395	1,496	456	1,725	394	1,492	546	2,067	665	2,517
18.500	470	114	431	173	653	398	1,508	459	1,739	398	1,505	550	2,083	670	2,536
18.625	473	115	435	174	659	402	1,520	463	1,752	401	1,517	554	2,098	675	2,556
18.750	476	116	438	176	665	405	1,532	466	1,766	404	1,530	559	2,114	680	2,575
18.875	479	117	442	177	670	408	1,543	470	1,779	408	1,543	563	2,130	685	2,594
19.000	483	118	446	179	676	411	1,555	474	1,792	411	1,556	567	2,146	690	2,614
19.125	486	119	450	180	682	414	1,567	477	1,806	414	1,569	571	2,162	696	2,633
19.250	489	120	453	182	688	417	1,579	481	1,820	418	1,581	576	2,179	701	2,653
19.375	492	121	457	183	694	420	1,591	484	1,833	421	1,594	580	2,195	706	2,672
19.500	495	122	461	185	700	423	1,602	488	1,847	425	1,607	584	2,211	711	2,692
19.625	498	123	465	186	706	426	1,614	491	1,860	428	1,620	588	2,227	716	2,711
19.750	502	124	468	188	712	430	1,626	495	1,874	431	1,632	593	2,243	721	2,730
19.875	505	125	472	190	718	433	1,638	499	1,887	435	1,645	597	2,259	726	2,750
20.000	508	126	476	191	724	436	1,650	502	1,901	438	1,658	601	2,275	732	2,769
20.125	511	127	479	193	730	439	1,662	506	1,915	441	1,671	605	2,292	737	2,789
20.250	514	128	483	194	736	442	1,674	509	1,929	445	1,684	610	2,308	742	2,809
20.375	518	129	487	196	742	445	1,686	513	1,943	448	1,696	614	2,325	747	2,829
20.500	521	130	491	197	748	449	1,698	517	1,956	452	1,709	618	2,341	753	2,849
20.625	524	131	494	199	754	452	1,711	521	1,970	455	1,722	623	2,357	758	2,869
20.750	527	132	498	201	760	455	1,723	524	1,984	458	1,735	627	2,374	763	2,889
20.875	530	133	502	202	766	458	1,735	528	1,998	462	1,747	631	2,390	768	2,908

Infiltrator Systems Inc.
TW- and IM-Series Tank Product Line Volume-Height Values

Height ¹		Liquid Volume in Tank at Indicated Height													
		TW-300		TW-500		TW-900		TW-1050		IM-1060		TW-1250		TW-1500	
Inches	Millimeters	Gallons	Liters	Gallons	Liters	Gallons	Liters	Gallons	Liters	Gallons	Liters	Gallons	Liters	Gallons	Liters
21.000	533	134	506	204	771	462	1,747	532	2,012	465	1,760	636	2,407	774	2,928
21.125	537	134	509	205	777	465	1,760	535	2,026	469	1,773	640	2,424	779	2,949
21.250	540	135	513	207	783	468	1,772	539	2,040	472	1,787	645	2,441	784	2,969
21.375	543	136	516	208	789	471	1,784	543	2,055	476	1,800	649	2,457	790	2,989
21.500	546	137	520	210	795	475	1,797	547	2,069	479	1,813	654	2,474	795	3,010
21.625	549	138	523	212	801	478	1,809	550	2,083	483	1,826	658	2,491	800	3,030
21.750	552	139	527	213	807	481	1,822	554	2,097	486	1,840	662	2,508	806	3,050
21.875	556	140	531	215	813	485	1,834	558	2,111	490	1,853	667	2,525	811	3,070
22.000	559	141	534	216	819	488	1,847	562	2,126	493	1,866	671	2,541	816	3,091
22.125	562	142	538	218	824	491	1,859	565	2,140	497	1,879	676	2,559	822	3,111
22.250	565	143	541	219	830	495	1,872	569	2,154	500	1,893	680	2,576	827	3,132
22.375	568	144	545	221	836	498	1,885	573	2,169	504	1,906	685	2,593	833	3,153
22.500	572	145	548	222	842	501	1,897	577	2,183	507	1,919	689	2,610	838	3,173
22.625	575	146	552	224	848	505	1,910	581	2,198	511	1,932	694	2,627	844	3,194
22.750	578	147	555	225	853	508	1,923	584	2,212	514	1,946	699	2,644	849	3,215
22.875	581	148	559	227	859	511	1,935	588	2,227	518	1,959	703	2,661	855	3,235
23.000	584	149	563	228	865	515	1,948	592	2,241	521	1,972	708	2,678	860	3,256
23.125	587	150	566	230	871	518	1,961	596	2,256	525	1,985	712	2,696	866	3,277
23.250	591	150	570	232	876	522	1,974	600	2,271	528	1,999	717	2,714	871	3,298
23.375	594	151	573	233	882	525	1,987	604	2,286	532	2,012	722	2,731	877	3,319
23.500	597	152	577	235	888	528	2,001	608	2,301	535	2,025	726	2,749	882	3,340
23.625	600	153	580	236	893	532	2,014	612	2,316	539	2,038	731	2,766	888	3,361
23.750	603	154	584	238	899	535	2,027	616	2,331	542	2,052	735	2,784	894	3,382
23.875	606	155	587	239	905	539	2,040	620	2,346	546	2,065	740	2,802	899	3,404
24.000	610	156	591	241	911	542	2,053	624	2,361	549	2,078	745	2,819	905	3,425
24.125	613	157	594	242	916	546	2,066	627	2,375	553	2,091	749	2,836	910	3,445
24.250	616	158	598	244	922	549	2,078	631	2,389	556	2,105	754	2,853	916	3,466
24.375	619	159	601	245	928	552	2,091	635	2,404	560	2,118	758	2,870	921	3,486
24.500	622	160	605	247	933	556	2,103	639	2,418	563	2,131	763	2,887	926	3,507
24.625	625	161	608	248	939	559	2,116	643	2,432	567	2,144	767	2,904	932	3,527
24.750	629	162	612	250	945	562	2,129	646	2,447	570	2,158	772	2,921	937	3,548
24.875	632	163	616	251	950	566	2,141	650	2,461	574	2,171	776	2,938	943	3,568
25.000	635	164	619	253	956	569	2,154	654	2,475	577	2,184	781	2,955	948	3,589
25.125	638	164	623	254	962	572	2,166	658	2,489	581	2,197	785	2,971	953	3,608
25.250	641	165	626	256	967	575	2,178	661	2,503	584	2,211	789	2,988	958	3,628
25.375	645	166	630	257	973	579	2,190	665	2,517	588	2,224	794	3,004	964	3,648
25.500	648	167	633	259	979	582	2,202	669	2,531	591	2,237	798	3,021	969	3,668
25.625	651	168	637	260	985	585	2,214	672	2,545	595	2,250	802	3,037	974	3,688
25.750	654	169	640	262	990	588	2,227	676	2,559	598	2,264	807	3,053	979	3,708
25.875	657	170	644	263	996	591	2,239	680	2,573	602	2,277	811	3,070	985	3,727
26.000	660	171	647	265	1,002	595	2,251	683	2,587	605	2,290	815	3,086	990	3,747
26.125	664	172	651	266	1,007	598	2,263	687	2,600	609	2,303	820	3,102	995	3,767
26.250	667	173	654	268	1,013	601	2,275	690	2,614	612	2,317	824	3,118	1,000	3,786
26.375	670	174	658	269	1,019	604	2,287	694	2,627	616	2,330	828	3,134	1,005	3,806
26.500	673	175	661	271	1,024	607	2,298	698	2,641	619	2,343	832	3,150	1,010	3,825
26.625	676	176	665	272	1,030	610	2,310	701	2,655	623	2,356	836	3,166	1,016	3,844
26.750	679	177	668	274	1,036	613	2,322	705	2,668	626	2,370	841	3,183	1,021	3,864
26.875	683	178	672	275	1,041	617	2,334	708	2,682	630	2,383	845	3,199	1,026	3,883
27.000	686	178	675	277	1,047	620	2,346	712	2,695	633	2,396	849	3,215	1,031	3,903
27.125	689	179	679	278	1,053	623	2,358	716	2,709	637	2,410	853	3,231	1,036	3,922
27.250	692	180	682	280	1,058	626	2,369	719	2,722	640	2,424	858	3,246	1,041	3,941
27.375	695	181	686	281	1,064	629	2,381	723	2,735	644	2,437	862	3,262	1,046	3,960
27.500	699	182	689	283	1,070	632	2,393	726	2,749	648	2,451	866	3,278	1,051	3,980
27.625	702	183	693	284	1,075	635	2,404	730	2,762	651	2,465	870	3,294	1,056	3,999
27.750	705	184	696	286	1,081	638	2,416	733	2,776	655	2,478	874	3,310	1,061	4,018
27.875	708	185	700	287	1,086	641	2,428	737	2,789	658	2,492	879	3,326	1,067	4,037

Infiltrator Systems Inc.
TW- and IM-Series Tank Product Line Volume-Height Values

Height ¹		Liquid Volume in Tank at Indicated Height													
		TW-300		TW-500		TW-900		TW-1050		IM-1060		TW-1250		TW-1500	
Inches	Millimeters	Gallons	Liters	Gallons	Liters	Gallons	Liters	Gallons	Liters	Gallons	Liters	Gallons	Liters	Gallons	Liters
28.000	711	186	703	289	1,092	644	2,439	740	2,802	662	2,506	883	3,342	1,072	4,057
28.125	714	187	707	290	1,098	648	2,451	744	2,816	666	2,520	887	3,358	1,077	4,076
28.250	718	188	710	291	1,103	651	2,463	747	2,829	669	2,533	891	3,373	1,082	4,095
28.375	721	189	714	293	1,109	654	2,474	751	2,842	673	2,547	895	3,389	1,087	4,114
28.500	724	189	717	294	1,114	657	2,486	754	2,856	677	2,561	900	3,405	1,092	4,133
28.625	727	190	721	296	1,120	660	2,498	758	2,869	680	2,575	904	3,421	1,097	4,153
28.750	730	191	724	297	1,126	663	2,509	761	2,882	684	2,588	908	3,437	1,102	4,172
28.875	733	192	728	299	1,131	666	2,521	765	2,896	687	2,602	912	3,453	1,107	4,191
29.000	737	193	731	300	1,137	669	2,533	769	2,909	691	2,616	916	3,469	1,112	4,210
29.125	740	194	735	302	1,142	672	2,544	772	2,922	695	2,629	920	3,484	1,117	4,229
29.250	743	195	738	303	1,148	675	2,556	776	2,936	698	2,642	925	3,500	1,122	4,248
29.375	746	196	742	305	1,154	678	2,567	779	2,949	702	2,655	929	3,516	1,127	4,267
29.500	749	197	745	306	1,159	681	2,579	782	2,962	705	2,669	933	3,531	1,132	4,286
29.625	752	198	748	308	1,165	684	2,590	786	2,975	709	2,682	937	3,547	1,137	4,305
29.750	756	199	752	309	1,170	687	2,602	789	2,988	712	2,695	941	3,563	1,142	4,324
29.875	759	200	755	311	1,176	690	2,613	793	3,002	716	2,708	945	3,579	1,147	4,343
30.000	762	200	759	312	1,181	693	2,625	796	3,015	719	2,722	950	3,594	1,152	4,362
30.125	765	201	762	314	1,187	696	2,636	800	3,028	723	2,735	954	3,610	1,157	4,381
30.250	768	202	766	315	1,193	699	2,648	803	3,041	726	2,748	958	3,626	1,162	4,400
30.375	772	203	769	317	1,198	703	2,659	807	3,054	730	2,761	962	3,641	1,167	4,419
30.500	775	204	773	318	1,204	706	2,671	810	3,067	733	2,775	966	3,657	1,172	4,438
30.625	778	205	776	319	1,209	709	2,682	814	3,081	737	2,788	970	3,672	1,177	4,457
30.750	781	206	779	321	1,215	712	2,694	817	3,094	740	2,801	974	3,688	1,182	4,476
30.875	784	207	783	322	1,220	715	2,705	821	3,107	744	2,814	978	3,704	1,187	4,495
31.000	787	208	786	324	1,226	718	2,717	824	3,120	747	2,828	982	3,719	1,192	4,514
31.125	791	209	790	325	1,231	721	2,728	828	3,133	751	2,841	987	3,734	1,197	4,532
31.250	794	210	793	327	1,237	724	2,739	831	3,146	754	2,854	991	3,750	1,202	4,551
31.375	797	210	797	328	1,242	727	2,750	834	3,159	758	2,867	995	3,765	1,207	4,570
31.500	800	211	800	330	1,248	730	2,762	838	3,172	761	2,881	999	3,781	1,212	4,588
31.625	803	212	803	331	1,253	733	2,773	841	3,185	765	2,894	1,003	3,796	1,217	4,607
31.750	806	213	807	333	1,259	736	2,784	845	3,197	768	2,907	1,007	3,811	1,222	4,626
31.875	810	214	810	334	1,265	738	2,795	848	3,210	772	2,920	1,011	3,827	1,227	4,644
32.000	813	215	814	336	1,270	741	2,807	852	3,223	775	2,934	1,015	3,842	1,232	4,663
32.125	816	216	817	337	1,276	744	2,818	855	3,236	778	2,946	1,019	3,857	1,237	4,681
32.250	819	217	820	338	1,281	747	2,829	858	3,249	782	2,959	1,023	3,873	1,242	4,700
32.375	822	218	824	340	1,287	750	2,840	862	3,262	785	2,972	1,027	3,888	1,246	4,718
32.500	826	219	827	341	1,292	753	2,851	865	3,274	789	2,985	1,031	3,903	1,251	4,737
32.625	829	219	831	343	1,298	756	2,862	868	3,287	792	2,998	1,035	3,918	1,256	4,755
32.750	832	220	834	344	1,303	759	2,873	872	3,300	795	3,010	1,039	3,933	1,261	4,773
32.875	835	221	837	346	1,309	762	2,884	875	3,312	799	3,023	1,043	3,949	1,266	4,792
33.000	838	222	841	347	1,314	765	2,895	878	3,325	802	3,036	1,047	3,964	1,271	4,810
33.125	841	223	844	349	1,320	768	2,906	882	3,338	806	3,049	1,051	3,979	1,276	4,829
33.250	845	224	848	350	1,325	771	2,917	885	3,350	809	3,062	1,055	3,994	1,280	4,847
33.375	848	225	851	351	1,330	774	2,928	888	3,363	813	3,076	1,059	4,009	1,285	4,865
33.500	851	226	854	353	1,336	776	2,939	892	3,376	816	3,089	1,063	4,024	1,290	4,883
33.625	854	227	858	354	1,341	779	2,950	895	3,388	820	3,102	1,067	4,039	1,295	4,901
33.750	857	227	861	356	1,347	782	2,961	898	3,401	823	3,115	1,071	4,054	1,300	4,920
33.875	860	228	865	357	1,352	785	2,972	902	3,413	827	3,129	1,075	4,069	1,304	4,938
34.000	864	229	868	359	1,358	788	2,983	905	3,426	830	3,142	1,079	4,084	1,309	4,956
34.125	867	230	871	360	1,363	791	2,994	908	3,438	833	3,155	1,083	4,099	1,314	4,974
34.250	870	231	875	362	1,369	794	3,005	912	3,451	837	3,167	1,087	4,114	1,319	4,992
34.375	873	232	878	363	1,374	797	3,016	915	3,463	840	3,180	1,091	4,128	1,324	5,010
34.500	876	233	881	364	1,380	800	3,027	918	3,476	844	3,193	1,095	4,143	1,328	5,028
34.625	879	234	885	366	1,385	802	3,037	922	3,488	847	3,206	1,098	4,158	1,333	5,046
34.750	883	235	888	367	1,391	805	3,048	925	3,501	850	3,219	1,102	4,173	1,338	5,064
34.875	886	236	891	369	1,396	808	3,059	928	3,513	854	3,231	1,106	4,188	1,343	5,083

Infiltrator Systems Inc.
TW- and IM-Series Tank Product Line Volume-Height Values

Height ¹		Liquid Volume in Tank at Indicated Height													
		TW-300		TW-500		TW-900		TW-1050		IM-1060		TW-1250		TW-1500	
Inches	Millimeters	Gallons	Liters	Gallons	Liters	Gallons	Liters	Gallons	Liters	Gallons	Liters	Gallons	Liters	Gallons	Liters
35.000	889	236	895	370	1,401	811	3,070	931	3,526	857	3,244	1,110	4,203	1,347	5,101
35.125	892	237	898	372	1,407	814	3,081	935	3,538	860	3,257	1,114	4,217	1,352	5,118
35.250	895	238	902	373	1,412	817	3,091	938	3,550	864	3,270	1,118	4,232	1,357	5,136
35.375	899	239	905	375	1,418	819	3,102	941	3,563	867	3,282	1,122	4,247	1,362	5,154
35.500	902	240	908	376	1,423	822	3,113	944	3,575	871	3,295	1,126	4,261	1,366	5,172
35.625	905	241	912	377	1,429	825	3,123	948	3,587	874	3,308	1,130	4,276	1,371	5,190
35.750	908	242	915	379	1,434	828	3,134	951	3,599	877	3,321	1,134	4,291	1,376	5,208
35.875	911	243	918	380	1,439	831	3,145	954	3,612	881	3,334	1,137	4,305	1,380	5,225
36.000	914	243	922	382	1,445	834	3,155	957	3,624	884	3,346	1,141	4,320	1,385	5,243
36.125	918	244	925	383	1,450	836	3,166	961	3,636	887	3,359	1,145	4,335	1,390	5,261
36.250	921	245	928	385	1,456	839	3,176	964	3,648	891	3,372	1,149	4,349	1,394	5,279
36.375	924	246	932	386	1,461	842	3,187	967	3,660	894	3,385	1,153	4,364	1,399	5,296
36.500	927	247	935	387	1,466	845	3,198	970	3,672	898	3,397	1,157	4,378	1,404	5,314
36.625	930	248	938	389	1,472	847	3,208	973	3,685	901	3,410	1,160	4,393	1,408	5,331
36.750	933	249	942	390	1,477	850	3,219	977	3,697	904	3,423	1,164	4,407	1,413	5,349
36.875	937	250	945	392	1,483	853	3,229	980	3,709	908	3,436	1,168	4,422	1,418	5,367
37.000	940	251	948	393	1,488	856	3,240	983	3,721	911	3,449	1,172	4,436	1,422	5,384
37.125	943	251	952	394	1,493	858	3,250	986	3,733	914	3,461	1,176	4,450	1,427	5,401
37.250	946	252	955	396	1,499	861	3,260	989	3,744	918	3,474	1,179	4,464	1,431	5,418
37.375	949	253	958	397	1,504	864	3,270	992	3,756	921	3,487	1,183	4,478	1,436	5,435
37.500	953	254	962	399	1,509	866	3,280	995	3,768	925	3,500	1,187	4,492	1,440	5,453
37.625	956	255	965	400	1,515	869	3,290	998	3,779	928	3,512	1,190	4,506	1,445	5,470
37.750	959	256	968	402	1,520	872	3,300	1,001	3,791	931	3,525	1,194	4,520	1,449	5,487
37.875	962	257	971	403	1,525	874	3,310	1,005	3,802	935	3,538	1,198	4,534	1,454	5,504
38.000	965	258	975	404	1,531	877	3,320	1,008	3,814	938	3,551	1,201	4,548	1,458	5,521
38.125	968	258	978	406	1,536	880	3,330	1,011	3,825	941	3,563	1,205	4,561	1,463	5,538
38.250	972	259	981	407	1,541	882	3,340	1,014	3,837	945	3,576	1,209	4,575	1,467	5,554
38.375	975	260	985	409	1,547	885	3,349	1,017	3,848	948	3,589	1,212	4,589	1,472	5,571
38.500	978	261	988	410	1,552	887	3,359	1,019	3,859	952	3,602	1,216	4,602	1,476	5,587
38.625	981	262	991	411	1,557	890	3,369	1,022	3,870	955	3,615	1,219	4,616	1,480	5,604
38.750	984	263	995	413	1,563	893	3,379	1,025	3,882	958	3,627	1,223	4,629	1,485	5,621
38.875	987	264	998	414	1,568	895	3,388	1,028	3,893	962	3,640	1,227	4,643	1,489	5,637
39.000	991	264	1,001	416	1,573	898	3,398	1,031	3,904	965	3,653	1,230	4,657	1,494	5,654
39.125	994	265	1,004	417	1,579	900	3,409	1,035	3,917	968	3,666	1,234	4,671	1,498	5,672
39.250	997	266	1,008	418	1,584	903	3,419	1,038	3,929	972	3,678	1,238	4,685	1,503	5,690
39.375	1,000	267	1,011	420	1,589	906	3,430	1,041	3,941	975	3,691	1,242	4,700	1,508	5,708
39.500	1,003	268	1,014	421	1,594	909	3,441	1,044	3,954	979	3,704	1,245	4,714	1,513	5,726
39.625	1,006	269	1,018	423	1,600	912	3,452	1,048	3,966	982	3,717	1,249	4,729	1,517	5,744
39.750	1,010	270	1,021	424	1,605	915	3,462	1,051	3,978	985	3,730	1,253	4,743	1,522	5,762
39.875	1,013	271	1,024	425	1,610	918	3,473	1,054	3,991	989	3,742	1,257	4,758	1,527	5,780
40.000	1,016	271	1,027	427	1,616	920	3,484	1,057	4,003	992	3,755	1,261	4,772	1,532	5,798
40.125	1,019	272	1,031	428	1,621	923	3,492	1,060	4,012	995	3,767	1,264	4,784	1,536	5,813
40.250	1,022	273	1,034	430	1,626	925	3,500	1,063	4,022	999	3,780	1,267	4,796	1,539	5,827
40.375	1,026	274	1,037	431	1,631	927	3,508	1,065	4,032	1,002	3,792	1,270	4,808	1,543	5,842
40.500	1,029	275	1,041	432	1,637	929	3,517	1,068	4,041	1,005	3,804	1,273	4,820	1,547	5,856
40.625	1,032	276	1,044	434	1,642	931	3,525	1,070	4,051	1,008	3,817	1,277	4,833	1,551	5,871
40.750	1,035	277	1,047	435	1,647	933	3,533	1,073	4,061	1,012	3,829	1,280	4,845	1,555	5,885
40.875	1,038	277	1,050	437	1,652	935	3,541	1,075	4,070	1,015	3,841	1,283	4,857	1,559	5,900
41.000	1,041	278	1,054	438	1,658	938	3,549	1,078	4,080	1,018	3,854	1,286	4,869	1,562	5,915
41.125	1,045	279	1,057	439	1,663	940	3,558	1,081	4,091	1,021	3,866	1,290	4,882	1,567	5,931
41.250	1,048	280	1,060	441	1,668	942	3,568	1,083	4,101	1,025	3,878	1,293	4,895	1,571	5,946
41.375	1,051	281	1,063	442	1,673	945	3,577	1,086	4,112	1,028	3,890	1,296	4,908	1,575	5,962
41.500	1,054	282	1,067	443	1,679	947	3,586	1,089	4,123	1,031	3,903	1,300	4,921	1,579	5,978
41.625	1,057	283	1,070	445	1,684	950	3,595	1,092	4,134	1,034	3,915	1,303	4,933	1,583	5,994
41.750	1,060	283	1,073	446	1,689	952	3,604	1,095	4,144	1,038	3,927	1,307	4,946	1,588	6,010
41.875	1,064	284	1,076	448	1,694	955	3,614	1,098	4,155	1,041	3,940	1,310	4,959	1,592	6,026

Infiltrator Systems Inc.
TW- and IM-Series Tank Product Line Volume-Height Values

Height ¹		Liquid Volume in Tank at Indicated Height													
		TW-300		TW-500		TW-900		TW-1050		IM-1060		TW-1250		TW-1500	
Inches	Millimeters	Gallons	Liters	Gallons	Liters	Gallons	Liters	Gallons	Liters	Gallons	Liters	Gallons	Liters	Gallons	Liters
42.000	1,067	285	1,080	449	1,700	957	3,623	1,100	4,166	1,044	3,952	1,314	4,972	1,596	6,042
42.125	1,070	286	1,083	450	1,705	959	3,632	1,103	4,176	1,047	3,964	1,317	4,985	1,600	6,057
42.250	1,073	287	1,086	452	1,710	962	3,641	1,106	4,187	1,050	3,976	1,320	4,998	1,604	6,073
42.375	1,076	288	1,089	453	1,715	964	3,650	1,109	4,197	1,053	3,987	1,324	5,010	1,608	6,089
42.500	1,080	289	1,093	454	1,720	967	3,659	1,112	4,208	1,057	3,999	1,327	5,023	1,613	6,104
42.625	1,083	289	1,096	456	1,726	969	3,668	1,114	4,218	1,060	4,011	1,330	5,036	1,617	6,120
42.750	1,086	290	1,099	457	1,731	971	3,677	1,117	4,229	1,063	4,023	1,334	5,048	1,621	6,135
42.875	1,089	291	1,102	459	1,736	974	3,686	1,120	4,239	1,066	4,035	1,337	5,061	1,625	6,151
43.000	1,092	292	1,105	460	1,741	976	3,695	1,123	4,249	1,069	4,047	1,340	5,074	1,629	6,167
43.125	1,095	293	1,109	461	1,746	978	3,703	1,125	4,260	1,072	4,058	1,344	5,086	1,633	6,182
43.250	1,099	294	1,112	463	1,752	981	3,712	1,128	4,270	1,075	4,070	1,347	5,098	1,637	6,197
43.375	1,102	294	1,115	464	1,757	983	3,721	1,131	4,280	1,078	4,082	1,350	5,111	1,641	6,212
43.500	1,105	295	1,118	465	1,762	985	3,730	1,133	4,290	1,082	4,094	1,353	5,123	1,645	6,228
43.625	1,108	296	1,121	467	1,767	988	3,738	1,136	4,300	1,085	4,106	1,357	5,135	1,649	6,243
43.750	1,111	297	1,124	468	1,772	990	3,747	1,139	4,311	1,088	4,118	1,360	5,148	1,653	6,258
43.875	1,114	298	1,127	470	1,777	992	3,756	1,141	4,321	1,091	4,129	1,363	5,160	1,657	6,273
44.000	1,118	299	1,130	471	1,782	994	3,765	1,144	4,331	1,094	4,141	1,366	5,172	1,661	6,288
44.125	1,121	299	1,133	472	1,787	997	3,773	1,147	4,340	1,097	4,153	1,369	5,184	1,665	6,302
44.250	1,124	300	1,136	473	1,792	999	3,781	1,149	4,350	1,100	4,164	1,372	5,195	1,668	6,316
44.375	1,127	301	1,138	475	1,797	1,001	3,789	1,152	4,359	1,103	4,175	1,375	5,206	1,672	6,330
44.500	1,130	301	1,141	476	1,802	1,003	3,797	1,154	4,368	1,106	4,187	1,378	5,218	1,676	6,344
44.625	1,133	302	1,144	477	1,807	1,005	3,805	1,156	4,378	1,109	4,198	1,381	5,229	1,679	6,357
44.750	1,137	303	1,147	479	1,812	1,007	3,813	1,159	4,387	1,112	4,209	1,384	5,240	1,683	6,371
44.875	1,140	304	1,150	480	1,817	1,009	3,821	1,161	4,396	1,115	4,221	1,387	5,251	1,687	6,385
45.000	1,143	304	1,152	481	1,822	1,011	3,829	1,164	4,406	1,118	4,232	1,390	5,263	1,690	6,399
45.125	1,146	305	1,155	482	1,826	1,013	3,835	1,166	4,413	1,121	4,243	1,393	5,272	1,693	6,410
45.250	1,149	306	1,157	483	1,830	1,015	3,841	1,168	4,420	1,124	4,255	1,395	5,281	1,696	6,422
45.375	1,153	306	1,160	485	1,834	1,016	3,847	1,170	4,428	1,127	4,266	1,398	5,290	1,700	6,434
45.500	1,156	307	1,163	486	1,839	1,018	3,854	1,172	4,435	1,130	4,278	1,400	5,300	1,703	6,445
45.625	1,159	308	1,165	487	1,843	1,020	3,860	1,174	4,443	1,133	4,289	1,402	5,309	1,706	6,457
45.750	1,162	308	1,168	488	1,847	1,021	3,866	1,176	4,450	1,136	4,300	1,405	5,318	1,709	6,468
45.875	1,165	309	1,170	489	1,851	1,023	3,872	1,178	4,457	1,139	4,312	1,407	5,327	1,712	6,480
46.000	1,168	310	1,173	490	1,856	1,025	3,878	1,179	4,465	1,142	4,323	1,410	5,337	1,715	6,492
46.125	1,172	310	1,174	491	1,859	1,026	3,884	1,181	4,471	1,145	4,334	1,412	5,345	1,718	6,502
46.250	1,175	311	1,176	492	1,863	1,027	3,889	1,183	4,478	1,148	4,345	1,414	5,353	1,720	6,512
46.375	1,178	311	1,177	493	1,866	1,029	3,895	1,185	4,485	1,151	4,356	1,416	5,361	1,723	6,522
46.500	1,181	311	1,179	494	1,870	1,030	3,900	1,186	4,491	1,154	4,366	1,418	5,370	1,726	6,533
46.625	1,184	312	1,180	495	1,874	1,032	3,906	1,188	4,498	1,156	4,377	1,421	5,378	1,728	6,543
46.750	1,187	312	1,182	496	1,877	1,033	3,912	1,190	4,504	1,159	4,388	1,423	5,386	1,731	6,553
46.875	1,191	313	1,183	497	1,881	1,035	3,917	1,192	4,511	1,162	4,399	1,425	5,394	1,734	6,564
47.000	1,194	313	1,185	498	1,885	1,036	3,923	1,193	4,517	1,165	4,410	1,427	5,402	1,737	6,574
47.125	1,197	313	1,185	498	1,887	1,037	3,927	1,195	4,522	1,168	4,420	1,429	5,408	1,738	6,580
47.250	1,200	313	1,185	499	1,888	1,038	3,930	1,196	4,526	1,171	4,431	1,430	5,413	1,740	6,587
47.375	1,203	313	1,185	499	1,890	1,039	3,934	1,197	4,531	1,173	4,441	1,431	5,419	1,742	6,593
47.500	1,207	313	1,185	500	1,892	1,040	3,938	1,198	4,535	1,176	4,452	1,433	5,424	1,744	6,600
47.625	1,210	313	1,185	500	1,894	1,041	3,942	1,199	4,540	1,179	4,462	1,434	5,429	1,745	6,606
47.750	1,213	313	1,185	501	1,896	1,042	3,946	1,201	4,544	1,182	4,472	1,436	5,435	1,747	6,613
47.875	1,216	313	1,185	501	1,898	1,044	3,950	1,202	4,549	1,184	4,483	1,437	5,440	1,749	6,619
48.000	1,219	313	1,185	502	1,900	1,045	3,954	1,203	4,553	1,187	4,493	1,439	5,446	1,750	6,626
48.125	1,222	313	1,185	502	1,901	1,046	3,959	1,204	4,558	1,190	4,503	1,440	5,450	1,752	6,631
48.250	1,226	313	1,185	502	1,902	1,047	3,964	1,205	4,562	1,192	4,513	1,441	5,455	1,753	6,637
48.375	1,229	313	1,185	503	1,903	1,049	3,969	1,206	4,566	1,195	4,523	1,442	5,459	1,755	6,642
48.500	1,232	313	1,185	503	1,903	1,050	3,974	1,207	4,571	1,198	4,533	1,443	5,463	1,756	6,647
48.625	1,235	313	1,185	503	1,904	1,051	3,979	1,209	4,575	1,200	4,543	1,444	5,468	1,757	6,653
48.750	1,238	313	1,185	503	1,905	1,053	3,984	1,210	4,579	1,203	4,553	1,446	5,472	1,759	6,658
48.875	1,241	313	1,185	503	1,906	1,054	3,989	1,211	4,584	1,205	4,563	1,447	5,477	1,760	6,663

Infiltrator Systems Inc.
 TW- and IM-Series Tank Product Line Volume-Height Values

Height ¹		Liquid Volume in Tank at Indicated Height													
		TW-300		TW-500		TW-900		TW-1050		IM-1060		TW-1250		TW-1500	
Inches	Millimeters	Gallons	Liters	Gallons	Liters	Gallons	Liters	Gallons	Liters	Gallons	Liters	Gallons	Liters	Gallons	Liters
49.000	1,245	313	1,185	503.68	1,907	1,055	3,994	1,212	4,588	1,208	4,573	1,448	5,481	1,762	6,669
49.125	1,248	---	---	---	---	---	---	---	---	1,211	4,582	---	---	---	---
49.250	1,251	---	---	---	---	---	---	---	---	1,213	4,592	---	---	---	---
49.375	1,254	---	---	---	---	---	---	---	---	1,216	4,601	---	---	---	---
49.500	1,257	---	---	---	---	---	---	---	---	1,218	4,611	---	---	---	---
49.625	1,260	---	---	---	---	---	---	---	---	1,221	4,620	---	---	---	---
49.750	1,264	---	---	---	---	---	---	---	---	1,223	4,630	---	---	---	---
49.875	1,267	---	---	---	---	---	---	---	---	1,226	4,639	---	---	---	---
50.000	1,270	---	---	---	---	---	---	---	---	1,228	4,648	---	---	---	---
50.125	1,273	---	---	---	---	---	---	---	---	1,230	4,657	---	---	---	---
50.250	1,276	---	---	---	---	---	---	---	---	1,233	4,666	---	---	---	---
50.375	1,280	---	---	---	---	---	---	---	---	1,235	4,675	---	---	---	---
50.500	1,283	---	---	---	---	---	---	---	---	1,238	4,684	---	---	---	---
50.625	1,286	---	---	---	---	---	---	---	---	1,240	4,693	---	---	---	---
50.750	1,289	---	---	---	---	---	---	---	---	1,242	4,702	---	---	---	---
50.875	1,292	---	---	---	---	---	---	---	---	1,245	4,711	---	---	---	---
51.000	1,295	---	---	---	---	---	---	---	---	1,247	4,720	---	---	---	---
51.125	1,299	---	---	---	---	---	---	---	---	1,249	4,729	---	---	---	---
51.250	1,302	---	---	---	---	---	---	---	---	1,252	4,737	---	---	---	---
51.375	1,305	---	---	---	---	---	---	---	---	1,254	4,746	---	---	---	---
51.500	1,308	---	---	---	---	---	---	---	---	1,256	4,754	---	---	---	---
51.625	1,311	---	---	---	---	---	---	---	---	1,258	4,763	---	---	---	---
51.750	1,314	---	---	---	---	---	---	---	---	1,261	4,772	---	---	---	---
51.875	1,318	---	---	---	---	---	---	---	---	1,263	4,780	---	---	---	---
52.000	1,321	---	---	---	---	---	---	---	---	1,265	4,789	---	---	---	---
52.125	1,324	---	---	---	---	---	---	---	---	1,267	4,795	---	---	---	---
52.250	1,327	---	---	---	---	---	---	---	---	1,268	4,801	---	---	---	---
52.375	1,330	---	---	---	---	---	---	---	---	1,270	4,807	---	---	---	---
52.500	1,334	---	---	---	---	---	---	---	---	1,272	4,813	---	---	---	---
52.625	1,337	---	---	---	---	---	---	---	---	1,273	4,819	---	---	---	---
52.750	1,340	---	---	---	---	---	---	---	---	1,275	4,825	---	---	---	---
52.875	1,343	---	---	---	---	---	---	---	---	1,276	4,832	---	---	---	---
53.000	1,346	---	---	---	---	---	---	---	---	1,278	4,838	---	---	---	---
53.125	1,349	---	---	---	---	---	---	---	---	1,279	4,842	---	---	---	---
53.250	1,353	---	---	---	---	---	---	---	---	1,280	4,846	---	---	---	---
53.375	1,356	---	---	---	---	---	---	---	---	1,281	4,851	---	---	---	---
53.500	1,359	---	---	---	---	---	---	---	---	1,283	4,855	---	---	---	---
53.625	1,362	---	---	---	---	---	---	---	---	1,284	4,859	---	---	---	---
53.750	1,365	---	---	---	---	---	---	---	---	1,285	4,863	---	---	---	---
53.875	1,368	---	---	---	---	---	---	---	---	1,286	4,868	---	---	---	---
54.000	1,372	---	---	---	---	---	---	---	---	1,287	4,872	---	---	---	---

Note:

1. Height calculation as measured from inside surface at bottom of corrugation in tank.
2. --- indicates that height is greater than maximum height of tank.